

Index of Authors

with the titles of papers

- AARTS, J. F. M., and CALLOMON, J. H.: Analysis of $\tilde{D}^2A_1-\tilde{C}^2T_2$ emission bands of CF_4^+ under high resolution, 1383
- ABASCAL, J. L. F., BRESME, F., and TURQ, P.: The influence of concentration and ionic strength on the cluster structure of highly charged electrolyte solutions, 143
- ADAMOWICZ, L., *see* Slanina, Z.
- AGUILAR, A., GONZÁLEZ, M., and POLUYANOV, L. V.: Analytical treatment of the quadratic and nonrelativistic Renner-Teller effect for a triatomic molecule in a Π electronic state. III. Intermediate limit case ($\epsilon \leq 1 \ll m \sim E^{2/3}$) and comparison with semiclassical results, 655
- AGUILLON, F., SIDIS, V., and GAUYACQ, J. P.: Coupled wavepackets study of the dynamics of a model ion-molecule charge exchange, 169
- ALLEN, M. P., *see* Samborski, A.
- ALLNATT, A. R., *see* Zhang, Z. C.
- ALONSO, J. L., *see* Leal, L. A.
- ALVARENGA, A. D., SABOUNGI, M.-L., CURTISS, L. A., GRIMSDITCH, M., and MCNEIL, L. E.: Structure and dynamics of molten aluminium and gallium trihalides. II. Raman spectroscopy and *ab initio* calculations, 409
- AMORETTI, G., *see* Prager, M.
- ARCHIBONG, E. F., and THAKKAR, A. J.: Polarizabilities of aromatic six-membered rings: azines and 'inorganic benzenes', 557
- BABB, J. F.: Effective oscillator strengths and transition energies for the hydrogen molecular ion, 17
- BAGLIN, F. G., *see* Rose, E. J.
- BALTISBERGER, J. H., GANN, S. L., GRANDINETTI, P. J., and PINES, A.: Cross-polarization dynamic angle spinning nuclear magnetic resonance of quadrupolar nuclei, 1109
- BANCEWICZ, T., TEBOUL, V., and LE DUFF, Y.: High-frequency interaction-induced roto-translational wings of isotropic nitrogen spectra, 1353
- BASTERRECHEA, F. J., DAVIES, P. B., SMITH, D. M., and STICKLAND, R. J.: Diode laser spectroscopy of the 7i-6h and 7h-6g transitions in H_2 , 1435
- BEÉ, M., GIROUD-GODQUIN, A. M., MALDIVI, P., and WILLIAMS, J.: Incoherent quasi-elastic neutron scattering study of highly oriented fibres of copper laurate in the columnar mesophase, 57
- BEIL, A., *see* Riedle, E.
- BELOV, S., FRASER, G. T., ORTIGOSO, J., PATE, B. H., and TRETYAKOV, M. YU.: Electric resonance optothermal spectrum of the 920 cm^{-1} $\nu_{14} + \nu_{15}$ torsional combination band of acetaldehyde, 359
- BIRNBAUM, G.: A memory function approach to the shape of pressure broadened molecular bands, 519
- BOLDYREV, S. I., GAMURAR, V. YA., TSUKERBLAT, B. S., and PALII, A. V.: Vibronic interaction in multielectronic mixed-valence trimeric clusters, 621
- BOUTIN, A., SIMON, J. M., and FUCHS, A. H.: The phase transitions of sulphur hexafluoride by molecular dynamics simulation, 1165
- BRESME, F., *see* Abascal, J. L. F.
- BUCHNER, M., *see* Weiss, S.
- BUCKINGHAM, A. D., *see* McDowell, S. A. C.
- BUONTEMPO, U., POSTORINO, P., RICCI, M. A., and SOPER, A. K.: Neutron diffraction study of heavy water steam, 217

- CACIUFFO, R., *see* Prager, M.
CALLOMON, J. H., *see* Aarts, J. F. M.
CARLILE, C. J., *see* Prager, M.
CARLILE, C. J., *see* Raison, P.
CARTER, S., *see* Gabriel, W.
CASTILLO, S., RAMÍREZ-SOLÍS, A., DÍAZ, D., POULAIN, E., and NOVARO, O.: Theoretical study of the activation of methane by photoexcited zinc atoms, 825
CATLOW, C. R. A., *see* Pavlides, P.
CHAKRABARTI, A., YASHONATH, S., and RAO, C. N. R.: Comparison of positional disorder in the liquid and glassy states of hydrocarbons: dependence of disorder on molecular shape, 467
CHAMBAUD, G., *see* Gabriel, W.
CHANG, J., and SANDLER, S. I.: A completely analytic perturbation theory for the square-well fluid of variable well width, 745
CHANG, J., and SANDLER, S. I.: A real function representation for the structure of the hard-sphere fluid, 735
CHIBOTARU, L. F.: Adiabatic potential of the system of two equivalent vibronic centres with common atoms. I. One-centre-coordinate approach, 873
CHIBOTARU, L. F.: Adiabatic potential of the system of two equivalent vibronic centres with common atoms. II. Equilibrium nuclear configurations of the biotahedral systems, 891
CHILD, M. S., *see* Cho, S.-W.
CHMIEL, C., KARYKOWSKI, K., PATRYKIEJEW, A., RZYSKO, W., and SOKOŁOWSKI, S.: Capillary condensation in non-uniform pores. Density functional approach, 691
CHO, S.-W., and CHILD, M. S.: Time dependent wavepackets and periodic orbit assignment, 447
CHYNOWETH, S., and MICHOPoulos, Y.: An improved potential model for n-hexadecane molecular dynamics simulations under extreme conditions, 133
CLARKE, N. J., COOPER, D. L., GERRATT, J., and RAIMONDI, M.: The Coulson-Fischer + r_{12} wavefunction for H_2 , 921
CLEAVER, D. J., and TILDESLEY, D. J.: Computer modelling of the structure of 4-n-octyl-4'-cyanobiphenyl adsorbed on graphite, 781
CLOUGH, S., HORSEWILL, A. J., JOHNSON, M. R., SUTCLIFFE, J. H., and TOMSAH, I. B. I.: Rotational quantization of methyl groups in a rotating frame, 975
CODDENS, G., *see* Prager, M.
COOPER, A. R., *see* Elrod, M. J.
COOPER, D. L., *see* Clarke, N. J.
COSTA, C., *see* Figari, G.
COULOMB, J. P., LARHER, Y., TRABELSI, M., and MIREBEAU, I.: Neutron diffraction investigation of the structure of the C_2D_2 film physisorbed upon $MgO(100)$, 1259
CURRY, J. E., CUSHMAN, J. H., SCHOEN, M., and DIESTLER, D. J.: Interfacial tension in confined molecularly-thin films, 1059
CURTISS, L. A., *see* Alvarenga, A. D.
CUSHMAN, J. H., *see* Curry, J. E.
CUSHMAN, J. H., *see* Schoen, M.

DABROWSKI, I., and SADOVSKII, D. A.: Spectra of the rare gas hydrides V: the np Rydberg series of KrD , 291
DAHLBORG, U., *see* Zetterström, P.
DAVIES, P. B., *see* Basterrechea, F. J.
DAVIS, P. J., and EVANS, D. J.: Non-equilibrium molecular dynamics calculation of thermal conductivity of flexible molecules: butane, 1289
DE ALMEIDA, W. B., RESENDE, S. M., and DOS SANTOS, H. F.: The molecular structure of the $(NCCN)_2$ and $(PCCP)_2$ van der Waals dimers, 1397
DEBENEDETTI, P. G., *see* Speedy, R. J.
DEJEAN, J. P., *see* Rolland, P.
DELAPALME, A., *see* Raison, P.
DESVAUX, H., and GOLDMAN, M.: A new NMR method for measuring the rotational correlation time of molecules in the liquid state, 955

- DÍAZ, D., *see* Castillo, S.
DICKINSON, A. S., *see* Heck, E. L.
DIESTLER, D. J., *see* Curry, J. E.
DIESTLER, D. J., *see* Schoen, M.
DONG, R. Y., FRIESEN, L., and RICHARDS, G. M.: Molecular order and dynamics of the nematogen MBBA. Modelling of deuterium NMR observables, 1017
DONOHUE, M. D., *see* Thomas, A.
DOOSE, J., MÄDER, H., SCHWARZ, R., and GUARNIERI, A.: Investigations of the pressure broadening of OCS and CO rotational lines in the millimetre wave range using a new type of Fourier transform spectrometer, 547
DORFMÜLLER, TH., *see* Mittag, U.
DORFMÜLLER, TH., *see* Weiss, S.
DOS SANTOS, H. F., *see de* Almeida, W. B.
DUBEY, A. K., *see* Kubo, A.
- EDWARDS, P. P., *see* Pyper, N. C.
ELROD, M. J., SAYKALLY, R. J., COOPER, A. R., and HUTSON, J. M.: Non-additive intermolecular forces from the spectroscopy of van der Waals trimers: far-infrared spectra and calculations on Ar₂-DCI, 579
EVANS, D. J., *see* Davis, P. J.
EVANS, D. J., *see* Hansen, D. P.
EVANS, G. T., *see* Samborski, A.
- FIGARI, G., COSTA, C., SICILIANO, A., and MAGNASCO, V.: On the damped multipole expansion of the induction energy in H₂⁺, 991
FILLAUX, F., *see* Prager, M.
FLEISCHER, U., *see* van Wüllen, Ch.
FRANCESCANGELI, O., *see* Prager, M.
FRANÇOIS, J. P., *see* Slanina, Z.
FRASER, G. T., *see* Belov, S.
FRIESEN, L., *see* Dong, R. Y.
FUCHS, A. H., *see* Boutin, A.
- GABRIEL, W., CHAMBAUD, G., ROSMUS, P., CARTER, S., and HANDY, N. C.: Theoretical study of the Renner-Teller $\tilde{A}^2A_1-\tilde{X}^2B_1$ system of NH₂, 1445
GAMURAR, V. YA., *see* Boldyrev, S. I.
GANN, S. L., *see* Baltisberger, J. H.
GANZ, M., and KIEFER, W.: Continuum resonance Raman scattering in isotopically pure ¹²⁷I³⁵Cl. Determination of excited state potential functions, 69
GAUYACQ, J. P., *see* Aguilon, F.
GERRATT, J., *see* Clarke, N. J.
GIANTURCO, F. A., SANNA, N., and SERNA-MOLINERA, S.: An improved He-CO interaction potential from a multiproperty analysis, 421
GIROUD-GODQUIN, A. M., *see* Bée, M.
GOLDMAN, M., *see* Desvaux, H.
GOLEME, A., ZAMIR, S., POUPKO, R., ZIMMERMANN, H., and LUZ, Z.: Self-diffusion in the plastic phase of succinonitrile by ²H NMR quadrupole echo train, 569
GONZÁLEZ, M., *see* Aguilar, A.
GRABOW, J.-U., *see* Heineking, N.
GRANDINETTI, P. J., *see* Baltisberger, J. H.
GRASSI, A., LOMBARDO, G. M., MARCH, N. H., and PUCCI, R.: Correlation energy of diatomic molecules versus number of electrons, 1265
GRAYSON, M., and RAYNES, W. T.: Electric field effects on the carbon-13 nuclear magnetic shielding in several organic molecules, 533
GRIMSDITCH, M., *see* Alvarenga, A. D.

- GROCHULSKI, T., and KOCOT, A.: Dielectric spectroscopy and molecular dynamics of $\text{CH}_3\text{Cl}/\text{CCl}_4$ liquid solutions, 705
- GUARNIERI, A., *see* Doose, J.
- GUBBINS, K. E., *see* Johnson, J. K.
- GUDE, M. T., and TEJA, A. S.: Near critical phase behaviour of dilute mixtures, 599
- GUILLAUME, F.: Helical motions of aliphatic chains in molecular crystals. The incoherent quasi-elastic neutron scattering law, 1411
- HAEBERLEN, U., *see* Müller, A.
- HAFSKJOLD, B., *see* Ikeshoji, T.
- HAMMONDS, K. D.: Modelling surface reconstructions with glue Hamiltonians, 227
- HANDY, N. C., *see* Gabriel, W.
- HANDY, N. C., *see* Laming, G. J.
- HANSEN, D. P., and EVANS, D. J.: A generalized heat flow algorithm, 767
- HARADA, M., *see* Kinoshita, M.
- HARISMADIS, V. I., and SZLEIFER, I.: Second virial coefficients of chain molecules: A Monte Carlo study, 851
- HÄTTIG, C., and HESS, B. A.: Calculation of orientation-dependent double-tensor moments for Coulomb-type intermolecular interactions, 813
- HAVENITH, M., HILPERT, G., PETRI, M., and URBAN, W.: Measurement of the first excited bending state of Ar-CO using a new concentration modulation technique in the jet, 1003
- HECK, E. L., and DICKINSON, A. S.: Transport and relaxation properties of N_2 , 1325
- HEINEKING, N., GRABOW, J.-U., and STAHL, W.: The microwave spectrum and molecular structure of ethylisocyanate, 1177
- HESS, B. A., *see* Hättig, C.
- HILPERT, G., *see* Havenith, M.
- HOHM, U.: Frequency-dependence of second refractivity virial coefficients of small molecules between 325 nm and 633 nm, 157
- HORSEWILL, A. J., *see* Clough, S.
- HOWELLS, W. S., *see* Zetterström, P.
- HØYE, J. S., and LOMBA, E.: A perturbative treatment of fluctuating polarizability in classical fluids, 385
- HUMMER, G., SOUMPASIS, D. M., and NEUMANN, M.: Computer simulations do not support Cl-Cl pairing in aqueous NaCl solution, 1155
- HUTSON, J. M., *see* Elrod, M. J.
- IKESHOJI, T., and HAFSKJOLD, B.: Non-equilibrium molecular dynamics calculation of heat conduction in liquid and through liquid-gas interface, 251
- JACKSON, G., *see* Sear, R. P.
- JOHNSON, J. K., PANAGIOTOPOULOS, A. Z., and GUBBINS, K. E.: Reactive canonical Monte Carlo. A new simulation technique for reacting or associating fluids, 717
- JOHNSON, M. R., *see* Clough, S.
- KAHN, R., *see* Raison, P.
- KANELAKOPOULOS, B., *see* Raison, P.
- KARYKOWSKI, K., *see* Chmiel, C.
- KIEFER, W., *see* Ganz, M.
- KINCAID, J. M., TUO, R.-F., and LOPEZ DE HARO, M.: A test of the modified Enskog theory for self-diffusion, 837
- KINOSHITA, M., and HARADA, M.: Numerical solution of the theory for water-like fluids near a macroparticle and a planar wall, 1473
- KLIMOV, V. D., *see* Nabiev, Sh. Sh.
- KOCOT, A., *see* Grochulski, T.

- KUBO, A., DUBEY, A. K., and McDOWELL, C. A.: Proton two-dimensional exchange nuclear magnetic resonance study of a p-xylene-d₆ zeolite inclusion compound, 1125
- KUMAR, B., and MASTERS, A. J.: A comparison between kinetic theory and affine transformation theory for self diffusion in a fluid of aligned hard spheroids, 491
- KUMAR, S. K., TANG, H., and SZLEIFER, I.: Phase transitions in thin films of symmetric binary polymer mixtures, 867
- KURTZ, J., *see* Slanina, Z.
- KUSALIK, P. G.: Computer simulation study of a highly polar fluid under the influence of static electric fields, 199
- KUTZELNIGG, W., *see* van Wüllen, Ch.
- KWIATKOWSKI, J. S., and LESZCZYŃSKI, J.: Molecular structure and vibrational infrared spectra of formaldehyde, selenoformaldehyde and their dihalogenoderivatives by *ab initio* post-Hartree-Fock calculation, 119
- LAMING, G. J., NAGY, A., HANDY, N. C., and MARCH, N. H.: Scaling properties of inhomogeneity kinetic energy in some diatomic molecules, in relation to dissociation energies, 1497
- LANDER, G. H., *see* Raison, P.
- LARHER, Y., *see* Coulomb, J. P.
- LE DUFF, Y., *see* Bancewicz, T.
- LEAL, L. A., ALONSO, J. L., LISTER, D. G., and LÓPEZ, J. C.: The microwave spectrum and equilibrium conformation of phthalan, 1205
- LEE, S.-L., *see* Slanina, Z.
- LESZCZYŃSKI, J., *see* Kwiatkowski, J. S.
- LEWERENZ, M., and WATTS, R. O.: Quantum Monte Carlo simulation of molecular vibrations. Application to formaldehyde, 1075
- LISTER, D. G., *see* Leal, L. A.
- LOMBA, E., *see* Høye, J. S.
- LOMBA, E., *see* Lombardero, M.
- LOMBARDERO, M., MARTÍN, C., and LOMBA, E.: Structure and thermodynamics of heteronuclear two-centre Lennard-Jones fluids from Monte Carlo simulation and a reference hypernetted chain equation, 1313
- LOMBARDO, G. M., *see* Grassi, A.
- LÓPEZ, J. C., *see* Leal, L. A.
- LOPEZ DE HARO, M., *see* Kincaid, J. M.
- LUCKHAUS, D., *see* Riedle, E.
- LUZ, Z., *see* Golemme, A.
- LUZ, Z., *see* Müller, A.
- MÄDER, H., *see* Doose, J.
- MAGNASCO, V., *see* Figari, G.
- MALDIVI, P., *see* Bée, M.
- MARCH, N. H., *see* Grassi, A.
- MARCH, N. H., *see* Laming, G. J.
- MARTÍN, C., *see* Lombardero, M.
- MASON, C. P., *see* Samborski, A.
- MASTERS, A. J., *see* Kumar, B.
- McDOWELL, C. A., *see* Kubo, A.
- McDOWELL, C. A., *see* Nakai, T.
- McDOWELL, S. A. C., TREFRY, M. G., and BUCKINGHAM, A. D.: Vibrational frequency shifts in NeHF and ArHF complexes, 1225
- MCNEIL, L. E., *see* Alvarenga, A. D.
- MEATH, W. J., *see* Zhang, Z. C.
- MENIL, A., *see* Rolland, P.
- MICHOPOULOS, Y., *see* Chynoweth, S.
- MIREBEAU, I., *see* Coulomb, J. P.

- MITTAG, U., SAMIOS, J., and DORFMÜLLER, TH.: Molecular dynamics solution of the liquid mixtures CCl_4/CS_2 . II. Concentration dependence of the transitional and rotational motion, 1143
- MORIN, E., *see* Rolland, P.
- MÜLLER, A., HAEERLEN, U., ZIMMERMANN, H., POUPKO, R., and LUZ, Z.: The pathways of the combined Cope rearrangement-molecular reorientation process in solid bullvalene: a deuterium 2D exchange NMR study on a single crystal, 1239
- NABIEV, SH. SH., and KLIMOV, V. D.: Infrared spectroscopy of fluoride molecules in noble gas solutions. I. Octahedral molecules, 395
- NAGY, A., *see* Laming, G. J.
- NAGY, J., SMITH JR, V. H., and WEAVER, D. F.: Calculation of second virial coefficients of alkanes with the MM2 and MM3 force fields, 1039
- NAKAI, T., and McDOWELL, C. A.: Product operator theory for ABX spin systems and its application to H-C-C INEPT NMR experiments, 337
- NEUMANN, M., *see* Hummer, G.
- NOVARO, O., *see* Castillo, S.
- ODDERSHEDE, J., *see* Sauer, S. P. A.
- ORLIKOWSKI, T.: Energies and widths of the quasibound levels of the HD^+ molecule, 667
- ORTIGOSO, J., *see* Belov, S.
- OULD-KADDOUR, F., and PASTORE, G.: How reliable is the HMSA integral equation for the pair structure of supercooled and amorphous mixtures?, 1011
- PAIDAROVÁ, I., *see* Sauer, S. P. A.
- PALII, A. V., *see* Boldyrev, S. I.
- PAN, Y.-K., *see* Tao, F.-M.
- PANAGIOTOPOULOS, A. Z., *see* Johnson, J. K.
- PASTORE, G., *see* Ould-Kaddour, F.
- PATE, B. H., *see* Belov, S.
- PATRYKIEJEW, A., *see* Chmiel, C.
- PAVLIDES, P., and CATLOW, C. R. A.: Atom-atom potential energy calculations for the absorption of cations in muscovite, 1269
- PERSICO, M.: Tunnelling in the $A^1\Pi$ state and the dissociation energy of BH, 1463
- PETRI, M., *see* Havenith, M.
- PIKE, C. G., *see* Pyper, N. C.
- PINES, A., *see* Baltisberger, J. H.
- POLUYANOV, L. V., *see* Aguilar, A.
- POSTORINO, P., *see* Buontempo, U.
- POULAIN, E., *see* Castillo, S.
- POULIGNY, B., *see* Rolland, P.
- POUPKO, R., *see* Golemme, A.
- POUPKO, R., *see* Müller, A.
- PRAGER, M., CACIUFFO, R., AMORETTI, G., CARLILE, C. J., CODDENS, G., FILLAUX, F., FRANCESCANGELI, O., and UGOZZOLI, F.: Molecular tunnelling in *p*-tert-butylcalix[4]-arene(2:1)*p*-xylene, 609
- PUCCI, R., *see* Grassi, A.
- PYPER, N. C., PIKE, C. G., and EDWARDS, P. P.: The electronic structure of the dipolar atomic state in a centrosymmetric environment, 937
- QUACK, M., *see* Riedle, E.
- RAIMONDI, M., *see* Clarke, N. J.
- RAISON, P., LANDER, G. H., DELAPALME, A., WILLIAMS, J. H., KAHN, R., CARLILE, C. J., and KANELAKOPOULOS, B.: Studies of $\text{U}(\text{C}_5\text{H}_5)_3\text{Cl}$: reorientational motions of cyclopentadienyl rings, 369

- RAJAGOPALAN, R., *see* Shukla, K.
RAMÍREZ-SOLÍS, A., *see* Castillo, S.
RAO, C. N. R., *see* Chakrabarti, A.
RAYNES, W. T., *see* Grayson, M.
RESENDE, S. M., *see* de Almeida, W. B.
RICCI, M. A., *see* Buontempo, U.
RICHARDS, G. M., *see* Dong, R. Y.
RIEDLE, E., BEIL, A., LUCKHAUS, D., and QUACK, M.: Sub-Doppler supersonic jet spectra of the coupled $6a_0^+$ and $6b_0^+$ vibronic bands of the $S_1(^1B_{2u}) \leftarrow (^1A_{1g})$ transition in mono-deuterobenzene and their rovibrational analysis, 1
ROLLAND, P., POULIGNY, B., MORIN, E., MENIL, A., and DEJEAN, J. P.: High resolution CARS spectroscopy of molecular nitrogen up to 1000 bar, 31
ROSE, E. J., and BAGLIN, F. G.: Depolarization-density tuning in supracritical solutions of methane-carbon dioxide, 1049
ROSMUS, P., *see* Gabriel, W.
RZYSKO, W., *see* Chmiel, C.
- SABOUNGI, M.-L., *see* Alvarenga, A. D.
SADOVSKII, D. A., *see* Dabrowski, I.
SAMBORSKI, A., EVANS, G. T., MASON, C. P., and ALLEN, M. P.: The isotropic to nematic liquid crystal transition for hard ellipsoids: an Onsager-like theory and computer simulations, 263
SAMIOS, J., *see* Mittag, U.
SANDLER, S. I., *see* Chang, J.
SANNA, N., *see* Gianturco, F. A.
SAUER, S. P. A., PAIDAROVÁ, I., and ODDERSHEDE, J.: Correlated and gauge origin independent calculations of magnetic properties. I. Triply bonded molecules, 87
SAYKALLY, R. J., *see* Elrod, M. J.
SCHOEN, M., *see* Curry, J. E.
SCHOEN, M., CUSHMAN, J. H., and DIESTLER, D. J.: Anomalous diffusion in confined monolayer films, 475
SCHWARZ, R., *see* Doose, J.
SEAR, R. P., and JACKSON, G.: Theory and computer simulation of hard sphere site models of ring molecules, 801
SERNA-MOLINERA, R., *see* Gianturco, F. A.
SÉSE, L. M.: Study of the Feynman-Hibbs effective potential against the path-integral formalism for Monte Carlo simulations of quantum many-body Lennard-Jones systems, 1297
SHUKLA, K., and RAJAGOPALAN, R.: Adhesive-hard-sphere approximation for the structure of square-well fluids: application to colloidal dispersions, 1093
SICILIANO, A., *see* Figari, G.
SIDIS, V., *see* Aguilon, F.
SIMON, J. M., *see* Boutin, A.
SLANINA, Z., LEE, S.-L., FRANÇOIS, J. P., KURTZ, J., ADAMOWICZ, L., and SMIGEL, M.: A nonplanar cyclic minimum-energy structure of singlet C_9 , 1489
SMIGEL, M., *see* Slanina, Z.
SMITH, D. M., *see* Basterrechea, F. J.
SMITH JR, V. H., *see* Nagy, J.
SOKOŁOWSKI, S., *see* Chmiel, C.
SOPER, A. K., *see* Buontempo, U.
SOUMPASIS, D. M., *see* Hummer, G.
SPEDY, R. J., and DEBENEDETTI, P. G.: The entropy of a network crystal, fluid and glass, 237
STAHL, W., *see* Heineking, N.
STICKLAND, R. J., *see* Basterrechea, F. J.
SUTCLIFFE, J. H., *see* Clough, S.
SZLEIFER, I., *see* Harismiadis, V. I.
SZLEIFER, I., *see* Kumar, S. K.

- TALMAN, J. D., *see* Zhang, Z. C.
TANG, H., *see* Kumar, S. K.
TAO, F.-M., and PAN, Y.-K.: *Ab initio* potential energy curves and binding energies of Ar₂ and Mg₂, 507
TEBOUL, V., *see* Bancewicz, T.
TEJA, A. S., *see* Gude, M. T.
THAKKAR, A. J., *see* Archibong, E. F.
THOMAS, A., and DONOHUE, M. D.: Square-well dimers of different bond lengths. Theory and simulation for the equation of state, 43
TILDESLEY, D. J., *see* Cleaver, D. J.
TOMSAH, I. B. I., *see* Clough, S.
TRABELSI, M., *see* Coulomb, J. P.
TREFRY, M. G., *see* McDowell, S. A. C.
TRETAKOV, M. YU., *see* Belov, S.
TSUKERBLAT, B. S., *see* Boldyrev, S. I.
TUO, R.-F., *see* Kincaid, J. M.
TURQ, P., *see* Abascal, J. L. F.
- UGOZZOLI, F., *see* Prager, M.
URBAN, W., *see* Havenith, M.
- VAN WÜLLEN, CH., FLEISCHER, U., and KUTZELNIGG, W.: Comment on 'Theoretical calculation of the nuclear magnetic shielding tensors for the ethylenic carbon atoms in cyclopropenes', 1373
- WATSON, J. K. G.: Effects of core electric dipole moment on Rydberg states, 277
WATTS, R. O., *see* Lewerenz, M.
WEAVER, D. F., *see* Nagy, J.
WEISS, S.: Molecular dynamics study of an isomerizing triatomic in solution, 1281
WEISS, S., BUCHNER, M., and DÖRFMÜLLER, TH.: Molecular dynamics solution of the infrared spectrum of ultrafast interconverting geometrical isomers, 327
WILLIAMS, J., *see* Bée, M.
WILLIAMS, J. H., *see* Raison, P.
WILSON, M. R.: Molecular dynamics simulation of semi-flexible mesogens, 675
- YASHONATH, S., *see* Chakrabarti, A.
- ZAMIR, S., *see* Golemme, A.
ZETTERSTRÖM, P., DAHLBORG, U., and HOWELLS, W. S.: A systematic study of the structure of liquid iso-propanol by time-of-flight neutron diffraction, 1187
ZHANG, Z. C., ALLNATT, A. R., TALMAN, J. D., and MEATH, W. J.: Non-additive three-body interaction energies for H₃ (quartet spin state), 1425
ZIMMERMANN, H., *see* Golemme, A.
ZIMMERMANN, H., *see* Müller, A.

